

# \*arr Mega Stack

```
version: "3.7"
```

```
services:
```

```
  radarr:
```

```
    container_name: radarr
```

```
    hostname: Radarr
```

```
    image: ghcr.io/hotio/radarr
```

```
    ports:
```

```
      - "7878:7878"
```

```
    environment:
```

```
      - PUID=998
```

```
      - PGID=100
```

```
      - UMASK=002
```

```
      - TZ=Europe/Paris
```

```
    volumes:
```

```
      - /srv/path/Files/Radarr/config:/config
```

```
      - /mnt/OrbiterVideo/movies:/movies
```

```
      - /mnt/OrbiterVideo/EnfantsFilms:/moviesKids
```

```
      - /srv/path/Files/QBittorrentVPN/downloads:/downloads
```

```
    restart: unless-stopped
```

```
    networks:
```

```
      - arr
```

```
  sonarr:
```

```
    container_name: sonarr
```

```
    hostname: Sonarr
```

```
    image: ghcr.io/hotio/sonarr
```

```
    ports:
```

```
      - "8989:8989"
```

```
    environment:
```

```
      - PUID=998
```

```
      - PGID=100
```

```
      - UMASK=002
```

```
      - TZ=Europe/Paris
```

```
    volumes:
```

- /srv/path/Files/Sonarr/config:/config
- /mnt/OrbiterVideo/tvshows:/tvshows
- /mnt/OrbiterVideo/EnfantsSeries:/tvshowsKids
- /srv/path/Files/QBittorrentVPN/downloads:/downloads

restart: unless-stopped

networks:

- arr

qbittorrent:

container\_name: qbittorrentvpn

image: ghcr.io/hotio/qbittorrent

ports:

- 8992:8992
- 8118:8118

environment:

- WEBUI\_PORTS=8992/tcp,8992/udp
- PUID=998
- PGID=100
- UMASK=0022
- TZ=Europe/Paris
- VPN\_ENABLED=true
- VPN\_LAN\_NETWORK=192.168.1.0/24
- VPN\_CONF=wg0
- VPN\_IP\_CHECK\_DELAY=5
- PRIVOX\_ENABLED=false
- DEBUG=yes

volumes:

- /srv/path/Files/QBittorrentVPN:/config
- /srv/path/Files/QBittorrentVPN/downloads:/downloads
- /srv/path/Files/QBittorrentVPN/skins:/skins

cap\_add:

- NET\_ADMIN

sysctls:

- net.ipv4.conf.all.src\_valid\_mark=1
- net.ipv6.conf.all.disable\_ipv6=1

restart: unless-stopped

networks:

- arr

bazarr:

```
container_name: bazarr
hostname: Bazarr
image: ghcr.io/hotio/bazarr
ports:
  - "6767:6767"
environment:
  - PUID=998
  - PGID=100
  - UMASK=002
  - TZ=Europe/Paris
volumes:
  - /srv/path/Files/Bazarr/config:/config
  - /mnt/OrbiterVideo/tvshows:/tvshows
  - /mnt/OrbiterVideo/movies:/movies
  - /mnt/OrbiterVideo/EnfantsSeries:/tvshowsKids
  - /mnt/OrbiterVideo/EnfantsFilms:/moviesKids
restart: unless-stopped
networks:
  - arr
```

```
jackett:
  image: lscr.io/linuxserver/jackett
  container_name: jackett
  environment:
    - PUID=998
    - PGID=100
    - TZ=Europe/Paris
    - AUTO_UPDATE=true
  volumes:
    - /srv/path/Files/Jackett/config:/config
    - /srv/path/Files/Jackett/downloads:/downloads
  ports:
    - 9117:9117
  restart: unless-stopped
  networks:
    - arr
```

```
prowlarr:
  image: lscr.io/linuxserver/prowlarr:develop
  container_name: prowlarr
```

environment:

- PUID=998
- PGID=100
- TZ=Europe/Paris

volumes:

- /srv/path/Files/Prowlarr/config:/config

ports:

- 9696:9696

restart: unless-stopped

networks:

- arr

jellyseerr:

image: fallenbagel/jellyseerr:latest

container\_name: jellyseerr

environment:

- LOG\_LEVEL=debug
- TZ=Europe/Paris

ports:

- 5055:5055

volumes:

- /srv/path/Files/Jellyseerr/config:/app/config

restart: unless-stopped

networks:

- arr

reiverr:

image: ghcr.io/aleksilassila/reiverr:latest

container\_name: reiverr

ports:

- 9494:9494

volumes:

- /srv/path/Files/Reiverr/config:/config

restart: unless-stopped

networks:

- arr

flaresolVERR:

# DockerHub mirror flaresolVERR/flaresolVERR:latest

image: ghcr.io/flaresolVERR/flaresolVERR:latest

container\_name: flaresolverr

environment:

- LOG\_LEVEL=debug
- LOG\_HTML=false
- CAPTCHA\_SOLVER=none
- LANG=en\_US #important for yggtorrent for example. Don't change
- TZ=Europe/Paris
- LANG=en\_EN

ports:

- "8191:8191"

restart: unless-stopped

networks:

- arr

unpackerr:

image: golift/unpackerr

container\_name: unpackerr

volumes:

- /srvpath/Files/QBittorrentVPN/downloads:/downloads

restart: always

user: "998:100"

environment:

- TZ=Europe/Paris
- UN\_DEBUG=true
- UN\_LOG\_FILE=/downloads/unpackerr.log #do not change. Or check dedicated page for

unpackerr in this wiki

- UN\_INTERVAL=10m
  - UN\_START\_DELAY=1m
  - UN\_RETRY\_DELAY=5m
  - UN\_MAX\_RETRIES=3
  - UN\_PARALLEL=1
- # Sonarr Config
- UN\_SONARR\_0\_URL=http://
  - UN\_SONARR\_0\_API\_KEY=
  - UN\_SONARR\_0\_PROTOCOLS=torrent
- # Radarr Config
- UN\_RADARR\_0\_URL=http://
  - UN\_RADARR\_0\_API\_KEY=
  - UN\_RADARR\_0\_PROTOCOLS=torrent

networks:

- arr

networks:

arr:

driver: bridge

---

Revision #6

Created 1 December 2023 21:44:25 by Admin

Updated 21 November 2024 00:43:45 by Admin