

Tube Archivist

Link

version: '3.3'

services:

tubearchivist:

container_name: tubearchivist

restart: unless-stopped

image: bbilly1/tubearchivist

ports:

- 8624:8000 #OG : 8000:8000

volumes:

- /srv/path/to/videos:/youtube

- /srv/path/Files/TubeArchivist/cache:/cache

environment:

- ES_URL=http://archivist-es:9200 # needs protocol e.g. http and port

- REDIS_HOST=archivist-redis # don't add protocol

- HOST_UID=998

- HOST_GID=100

- TA_HOST=192.168.1.xxx # set your host name, OG: tubearchivist.local / If reverse proxy, need to put

"TA_HOST=192.168.1.xxx sub.domain.ltd"

- TA_USERNAME=xxxxx # your initial TA credentials

- TA_PASSWORD=XXXXXX # your initial TA credentials

- ELASTIC_PASSWORD=XXXXXX # set password for Elasticsearch

- TZ=Europe/Paris # set your time zone

depends_on:

- archivist-es

- archivist-redis

archivist-redis:

image: redislabs/rejson # for arm64 use bbilly1/rejson

container_name: archivist-redis

restart: unless-stopped

expose:

- "6379"

volumes:

- /srv/path/Files/TubeArchivist/redis:/data

depends_on:

- archivist-es

archivist-es:

image: bbilly1/tubearchivist-es # only for amd64, or use official es 8.5.1

container_name: archivist-es

restart: unless-stopped

environment:

- "ELASTIC_PASSWORD=XXXXXX" # matching Elasticsearch password

- "ES_JAVA_OPTS=-Xms512m -Xmx512m"

- "xpack.security.enabled=true"

- "discovery.type=single-node"

- "path.repo=/usr/share/elasticsearch/data/snapshot"

ulimits:

memlock:

soft: -1

hard: -1

volumes:

- /srv/path/Files/TubeArchivist/es:/usr/share/elasticsearch/data # check for permission error when using

bind mount, see readme

expose:

- "9200"

volumes:

media:

cache:

redis:

es:

Revision #3

Created 16 December 2021 19:48:43 by Admin

Updated 21 November 2024 22:16:21 by Admin